



MICROCOPY RESOLUTION TEST CHART
NATIONAL BUREAU OF STANDARDS-1963-A

0272 - 101			
REPORT DOCUMENTATI PAGE	ON LOD/SW/DK-88/003a	2.	3. Recipient's Accession No.
. Title and Subtitle Version Descri Validation Cap	ption Document for the Adoability (Version 1.9)(for	la Compiler microcomputer	5. Report Date 20 July 1987
7. Author(s)			8. Performing Organization Rept. No.
9. Performing Organization Na	me and Address		10. Project/Task/Work Unit No.
ASD/SCOL			
Language Contr			11. Contract(C) or Grant(G) No.
Area B, Bldg 6 Wright-Patters	on AFB OH 45433-6503		(C)
			<u> </u>
2. Sponsoring Organization N	ame and Address		13. Type of Report & Period Covered
	AD-A18	6 390	14.
5. Supplementary Notes			<u> </u>
For diskette,	see:		
6. Abstract (Limit: 200 words)			
	er Validation Capability		
	termine an Ada compiler's		
the Ada Langua	ige Reference Manual (LRM)	. Version 1.9	was released
in December 19	86 and became the officia	al ACVC version	, replacing
1.8, in June 1	1987. ACVC version 1.9 wil	🙏 be the offic	ial version
until June 198	88 when it will be replace	% by ACVC versi	on 1.10.
Each of the 31	22 tests in the ACVC 1.9	is designed to	test
a single test	objective specified in the	ne Ada Implemen	tor's Guide
	ment enumerating the LRM i	nto discrete t	est objectives
in order to a	d compiler development.		
	C.		
7. Document Analysis a. De	scriptors		
	suite of tests designed	to test an Ada	Compiler's
Conformance t	O MIL-STD-1815A,	•	DTIC
		()	
b. Identifiers/Open-Ended	Torm-		ELECTE
resummers/Open-Ended	erins		NOV O E 4007
	DISTRIBUTION STATEMENT A		NOV 2 5 1987
	Approved for public release;		
	Distribution Unlimited		Н
c. COSATI Field/Group			
8. Availability Statement		19. Security Class (Thi	s Report) 21. No. of Pages 49
		20. Security Class (Thi	
		I	1

(See ANSI-Z39.18)

VERSION DESCRIPTION DOCUMENT FOR THE ADA COMPILER VALIDATION CAPABILITY (Version 1.9)

1 VERSION IDENTIFICATION

This document describes the Ada® Compiler Validation Capability (ACVC), Version 1.9. This version consists of 3122 tests and 3591 test files. Also, there are 5 tests and 6 test files used to support the testing of the ACVC test suite. The differences between Version 1.8 and 1.9 are detailed in sections 2.0 through 4.0.

2 TEST MODIFICATIONS

In Version 1.9 of the ACVC, 431 tests were modified from the corresponding tests in Version 1.8. Modifications have been made to:

- a) correct tests that were found to be incorrect in previous versions of the ACVC,
- b) strengthen the tests by making the tests more comprehensive or incorporating more cases to check.

The term "former test" is used to refer to the test as it exists in Version 1.8 of the ACVC. The term "new test" is used to refer to the test as it exists in Version 1.9. The following tests have been modified from Version 1.8:

A26004A.ADA B33201B.ADA B37004A.ADA B37203A.ADA B38008A.ADA B45533A.ADA B66001A.ADA	AE2101B.ADA B33203C.ADA B37101A.ADA B37309B.ADA B38101A.ADA B49006A.ADA B74101B.ADA	AE2101D.ADA B36171A.ADA B37102A.ADA B37401A.ADA B43201D.ADA B4A010C.ADA B91001G.ADA	B26005A.ADA B36201A.ADA B37201A.ADA B38003A.ADA B45116A.ADA B62006C.ADA B95001B.ADA	DTIC COPY INSPECTED
B97103A.ADA	B99001A.ADA	BA1020C.ADA	BC1001A.ADA	Accession For
BC1013A.ADA	BC1207A.ADA	BC3103A.ADA	BC3204C.DEP	
BE2101E.ADA	BE3001A.ADA	C24113A.DEP	C24113B.DEP	DTIC TAB
C24113C.DEP	C24113D.DEP	C24113E.DEP	C24113F.DEP	· · · · · · · · · · · · · · · · · · ·
C24113G.DEP	C24113H.DEP	C24113I.DEP	C24113J.DEP	Justification
C24113K.DEP	C24113L.DEP	C24113M.DEP	C24113N.DEP	WTIS
C241130.DEP	C24113P.DEP	C24113Q.DEP	C24113R.DEP	Bv
C24113S.DEP	C24113T.DEP	C24113U.DEP	C24113V.DEP	
C24113W.DEP	C24113X.DEP	C24113Y.DEP	C32114A.ADA	
C34001A.ADA	C34001C.ADA	C34001D.ADA	C34001F.ADA	Aveil and/or
C34002A.ADA	C34018A.ADA	C35508A.ADA	C35508B.ADA	
C35703A.ADA	C35705A.DEP	C35705B.DEP	C35705C.DEP	Dist Special
C35705D.DEP	C35705E.DEP	C35705F.DEP	C35705G.DEP	
C35705H.DEP	C35705I.DEP	C35705J.DEP	C35705K.DEP	A-1
				(*

Ada is a registered trademark of the U.S. Government Ada Joint Program Office (AJPO).

3358661 588			
C35705L.DEP	C35705M.DEP	C35705N.DEP	C357050.DEP
C35705P.DEP	035705Q.DEP	035705R.DEP	C35705S.DEP
OBETHET.IEP	035705U.DEF	CS5TOEV.DEP	035705W.DEP
C35705X.DEP	C35705Y.DEP		
		C35707A.DEP	C35707B.DEP
C35707C.DEP	C35707D.DEP	C35707E.DEP	C35707F.DEP
C35707G.DEP	C35707H.DEP	C35707I.DEP	C35707J.DEP
C35707K.DEP	C35707L.DEP	C35707M.DEP	C35707N.DEP
C357070.DEP	C35707P.DEP	C35707Q.DEP	
			C35707R.DEP
C35707S.DEP	C35707T.DEP	C35707U.DEP	C35707V.DEP
C35707W.DEP	C35707X.DEP	C35707Y.DEP	C35708A.DEP
035708B.DEP	C35708C.DEP	C35708D.DEP	C35708E.DEP
ObiTueF.DEP	C39708G.DEP	C35708H.DEP	C35708I.DEP
055708J.DEP	035708K.DEP	C35708L.DEP	C35708M.DEP
C35708N.DEP	C357080.DEP		
		C35708P.DEP	C35708Q.DEP
C35708R.DEP	C35708S.DEP	C35708T.DEP	C35708U.DEP
035705V.DEP	C35708W.DEP	C35708X.DEP	C35708Y.DEP
C35802A.DEP	C35802B.DEP	C35802C.DEP	C35802D.DEP
C35802E.DEP	C35802F.DEP	C35802G.DEP	C35802H.DEP
C35802I.DEP	C35802J.DEP	C35802K.DEP	
C35802M.DEP			C35802L.DEP
	C35802N.DEP	C358020.DEP	C35802P.DEP
C35802Q.DEP	C35802R.DEP	C35802S.DEP	C35802T.DEP
C35802U.DEP	C35802V.DEP	C35802W.DEP	C35802X.DEP
C35802Y.DEP	C35904A.ADA	C36202A.ADA	C36202B.ADA
C36301A.ADA	C36303A.ADA	C37008A.ADA	C37209A.ADA
C37213B.ADA	C41304A.ADA	C41404A.ADA	
			C43212A.ADA
C45241A.DEP	C45241B.DEP	C45241C.DEP	C45241D.DEP
C45241E.DEP	C45241F.DEP	C45241G.DEP	C45241H.DEP
C45241I.DEP	C45241J.DEP	C45241K.DEP	C45241L.DEP
C45241M.DEP	C45241N.DEP	C452410.DEP	C45241P.DEP
C45241Q.DEP	C45241R.DEP	C45241S.DEP	C45241T.DEP
C45241U.DEP	C45241V.DEP	C45241W.DEP	
C45241Y.DEP	-		C45241X.DEP
	C45262A.ADA	C45262B.ADA	C45262C.ADA
C45321A.DEP	C45321B.DEP	C45321C.DEP	C45321D.DEP
C45321E.DEP	C45321F.DEP	C45321G.DEP	C45321H.DEP
C45321I.DEP	C45321J.DEP	C45321K.DEP	C45321L.DEP
C45321M.DEP	C45321N.DEP	C453210.DEP	C45321P.DEP
C45321Q.DEP	C45321R.DEP	C45321S.DEP	
			C45321T.DEP
C45321U.DEP	C45321V.DEP	C45321W.DEP	C45321X.DEP
C45321Y.DEP	C45421A.DEP	C45421B.DEP	C45421C.DEP
C45421D.DEP	C45421E.DEP	C45421F.DEP	C45421G.DEP
C45421H.DEP	C45421I.DEP	C45421J.DEP	C45421K.DEP
C45421L.DEP	C45421M.DEP	C45421N.DEP	C454210.DEP
C45421P.DEP	C45421Q.DEP	C45421R.DEP	C45421S.DEP
C45421T.DEP			
	C45421U.DEP	C45421V.DEP	C45421W.DEP
C45421X.DEP	C45421Y.DEP	C48008A.ADA	C4A011A.ADA
C4A013A.ADA	C52103X.ADA	C52104X.ADA	C54A03A.ADA
C58005B.ADA	C64103A.ADA	C87B50A.ADA	C87B62A.DEP
C87B62B.DEP	C87B62C.DEP	C92003A.ADA	C92005A.ADA
C93001A.ADA	C93003A.ADA	C94001A.ADA	
C94002B.ADA			C94002A.ADA
	C94006A.ADA	C95040D.ADA	C97113A.ADA
C97202A.ADA	CA1012A.DEP	CA2009C.DEP	CA2009F.DEP
CE2102C.TST	CE2102G.ADA	CE2104B.ADA	CE2104C.ADA

CE2104D.ADA	CE2105A.ADA	CE2106A.ADA	CE2107A.ADA
CE2107E.ADA	CE21070.ADA	CE2107D.ADA	CE2107E.ADA
GEING/F.ALA	OEL10tA.ADa	Chillet . Alm	CELTUEC.ada
JE2106D.ADA	CE2109A.ADA	CE2111D.ADA	CE2111G.ADA
CE2111H.ADA	CE2201A.ADA	CE2201B.ADA	CE2201C.ADA
CE2201F.ADA	CE2204A.ADA	CE2204B.ADA	CE2210A.ADA
CE2401A.ADA	CE2401B.ADA	CE2401C.ADA	CE2401E.ADA
CE2401F.ADA	CE2404A.ADA	CE2406A.ADA	CE2407A.ADA
CE2409A.ADA	CE3103A.ADA	CE3104A.ADA	CE3109A.ADA
CE3110A.ALA	CE3111A.ADA	CE3111B.ADA	CE3111C.ADA
CESTIID.ADA	CE3111E.ADA	CE3112A.ADA	CE3114B.ADA
CE3115A.ADA	JE3203A.ADA	CE3208A.ADA	CE3301A.ADA
CEUSO 1B.ADA	CE3301C.ADA	CE3302A.ADA	CE3402A.ADA
CE3402B.ADA	CE3402C.ADA	CE3402D.ADA	CE3403A.ADA
CE3403B.ADA	CE3403C.ADA	CE3403E.ADA	CE3403F.ADA
CE3404A.ADA	CE3404B.ADA	CE3404C.ADA	CE3405A.ADA
CE3405B.ADA	CE3405C.ADA	CE3405D.ADA	CE3406A.ADA
CE3406B.ADA	CE3406C.ADA	CE3406D.ADA	CE3407A.ADA
CE3407B.ADA	CE3407C.ADA	CE3408A.ADA	CE3408B.ADA
CE3408C.ADA	CE3409A.ADA	CE3409C.ADA	CE3409D.ADA
CE3409E.ADA	CE3409F.ADA	CE3410A.ADA	CE3410C.ADA
CE3410D.ADA	CE3410E.ADA	CE3410F.ADA	CE3411A.ADA
CE3412A.ADA	CE3413A.ADA	CE3413C.ADA	CE3602A.ADA
CE3602B.ADA	CE3602C.ADA	CE3602D.ADA	CE3603A.ADA
CE3604A.ADA	CE3605A.ADA	CE3605B.ADA	CE3605C.ADA
CE3605D.ADA	CE3605E.ADA	CE3606A.ADA	CE3606B.ADA
CE3704A.ADA	CE3704B.ADA	CE3704D.ADA	CE3704E.ADA
CE3704F.ADA	CE3704M.ADA	CE3704N.ADA	CE37040.ADA
CE3706D.ADA	CE3706F.ADA	CE3804A.ADA	CE3804B.ADA
CE3804C.ADA	CE3804D.ADA	CE3804E.ADA	CE3804G.ADA
CE3804I.ADA	CE3804K.ADA	CE3804M.ADA	CE3805A.ADA
CE3805B.ADA	CE3806A.ADA	CE3806D.ADA	CE3806E.ADA
CE3905A.ADA	CE3905B.ADA	CE3905C.ADA	CE3905L.ADA
CE3906A.ADA	CE3906B.ADA	CE3906C.ADA	CE3906E.ADA
CE3906F.ADA	D4A002B.ADA	E24101A.TST	

Please note that three tests, A26004A, C34001D, and C34001F, were modified and the file extension has changed.

In addition to the test modifications noted above, all tests were modified to remove the language version suffix (-AB or -B) from the official test name. The language version suffix will no longer be a part of the official ACVC test name.

3 TEST DELETIONS

The following 97 tests appear in ACVC Version 1.8, but not in ACVC Version 1.9. Several of the deleted tests were renamed to new test names in ACVC 1.9 to correspond to the naming conventions provided by the Implementer's Guide.

A34008B.ADA	C32107B.ADA	B34008A.ADA	B35301A.ADA
B35A03A.ADA	B45402A.ADA	B4A006A.ADA	B920BDA.ADA
B950ACA.ADA	B950BAA.ADA	B950DHA.ADA	BC10ADA.ADA
BC10AEB.ADA	BC10AEJ.ADA	BC11ABA.ADA	BC11ACA.ADA
BC1ZABA.ADA	BC13ABA.ADA	BC30ABA.ADA	BC30ACA.ALA
BO31ABA.ADA	BC31ACA.ADA	BC31ADA.ADA	BC32ABA.ADA
BC32ADA.ADA	BC33ABA.ADA	BC33ACA.ADA	BC33ADA.ADA
BC33AEA.ADA	C34001B.ADA	C34001E.DEP	C34001G.DEP
C34001H.ADA	C34001I.ADA	C34001K.ADA	C34001L.ADA
C34001M.ADA	C34001N.ADA	C340010.ADA	C34001P.ADA
C34001Q.ADA	C34001R.ADA	C34001T.ADA	C34002B.ADA
C35104A.ADA	C38007A.ADA	C45401A.ADA	C45401B.ADA
C45424A.DEP	C45424B.DEP	C45424C.DEP	C45424D.DEP
C45424E.DEP	C45424F.DEP	C45424G.DEP	C45424H.DEP
C45424I.DEP	C45424J.DEP	C45424K.DEP	C45424L.DEP
C45424M.DEP	C45424N.DEP	C454240.DEP	C45424P.DEP
C45424Q.DEP	C45424R.DEP	C45424S.DEP	C45424T.DEP
C45424U.DEP	C45424V.DEP	C45424W.DEP	C45424X.DEP
C45424Y.DEP	C45526A.ADA	C4AOO1A.ADA	C4AOO3A.ADA
C910AHA.ADA	C930ABA.ADA	C930AFA.ADA	C930AJA.ADA
C940ABA.ADA	C940ACA.ADA	C940ACB.ADA	C940ADA.ADA
C940AHA.ADA	C940BAA.ADA	C940BBA.ADA	CA3005A.ADA
CA3005B.ADA	CA3005C.ADA	CA3005D.ADA	CE2201D.DEP
CE2201E.DEP	CE2401D.DEP	E94004A.ADA	E94004B.ADA
E94004C.ADA	0224010001		27.43 (D(R2R
-,n			

In addition, the support package VAR_STRINGS and the four tests (CZ1201A .. D) that check the VAR STRINGS package have been deleted.

4 NEW TESTS

The following 820 tests have been added to Version 1.9 of the ACVC Test Suite. A test is considered "new" if the test name did not exist in ACVC Version 1.8. Several of the new tests were renamed from former tests in ACVC Version 1.8 to correspond to the naming conventions provided by the Implementer's Guide.

A22006C.ADA	A22006D.ADA	A22006E.ADA	A22006F.ADA
A26007A.TST	A27003A.ADA	A27004A.ADA	A28002C.ADA
A28004A.ADA	A29003A.ADA	A33003A.ADA	A34017C.ADA

A35101B.ADA	A35402A.ADA	A355024.ADA	A35502R.ADA
A35801A.ADA	A35801B.ADA	A35801E.ADA	A35801F.ADA
ASTROLD.ADA	njîjîjîwa.ADA	AdyudaB.DEP	ABRUUBU.DEF
may005D.DEP	A39005E.DEP	A39005F.DEP	A39005G.DEP
A41307A.ADA	A41307C.ADA	A87B59A.ADA	A91001I.ADA
A95001C.ADA	AA2010A.ADA		
		AA2012A.ADA	AA5008X.ADA
AD1A01A.ADA	AD1A01B.ADA	AD1A01C.ADA	AD1A01D.ADA
AE2101G.ADA	AE2101I.ADA	AE2113A.ADA	AE2113B.ADA
AE3002G.ADA	B22005A.ADA	B22005B.ADA	B22005C.ADA
B22005D.ADA	B22005E.ADA	B22005F.ADA	B22005G.ADA
B22005H.ADA	b22005I.ADA	B22005J.ADA	B22005K.ADA
BEESCEL.ADA	B22005M.ADA	B22005N.ADA	B220050.ADA
BZZGGSP.ADA	B220054.ADA	B22005R.ADA	B22005S.ADA
B22005T.ADA	B22005U.ADA	B22005V.ADA	B22005W.ADA
522005X.ADA	B22005Y.ADA	B22005Z.ADA	B240C7A.ADA
B24009A.ADA	B24104A.ADA	B24205A.ADA	B24206A.ADA
B24206B.ADA	B25002A.ADA	B25002B.ADA	
		-	B25004B.ADA
B26001A.ADA	B27005A.ADA	B28001A.ADA	B28001B.ADA
B28001C.ADA	B28001D.ADA	B28001E.ADA	B28001F.ADA
B28001G.ADA	B28001H.ADA	B28001I.ADA	B28001J.ADA
B28001K.ADA	B28001L.ADA	B28001M.ADA	B28001N.ADA
B280010.ADA	B28001P.ADA	B28001Q.ADA	B28001R.ADA
B28001S.ADA	B28001T.ADA	B28001U.ADA	B28001V.ADA
B28001W.ADA	B28003A.ADA	B28003C.ADA	B2A004A.ADA
B2A005A.ADA	B2A005B.ADA	B2A007A.ADA	B2A010A.ADA
B32101A.ADA	B33302A.ADA	B34001B.ADA	B34001E.ADA
B34002B.ADA	B34003B.ADA	B34004B.ADA	B34007B.ADA
B34007E.ADA	B34007H.ADA	B34007K.ADA	B34007N.ADA
B34007Q.ADA	B34007T.ADA	B34008B.ADA	B34009B.ADA
B34009E.ADA	B34009H.ADA	B34009K.ADA	B34017A.ADA
B34017B.ADA	B35004A.ADA	B35302A.ADA	B35401A.ADA
B35401B.ADA	B35403A.ADA	B35501B.ADA	B35506C.ADA
B35506D.ADA	B35801C.ADA		
B35901D.ADA		B35803A.ADA	B35901C.ADA
	B35A01A.ADA	B36001A.ADA	B36002A.ADA
B36307A.ADA	B37104A.ADA	B37106A.ADA	B37212A.ADA
B37312B.ADA	B38003B.ADA	B38009A.ADA	B38009B.ADA
B38101C.ADA	B38101D.ADA	B38103D.ADA	B38103E.ADA
B38203A.ADA	B38204A.ADA	B39004A.ADA	B39004B.ADA
B39004C.ADA	B39004D.ADA	B39004E.ADA	B39004F.ADA
B39004G.ADA	B39004H.ADA	B39004I.ADA	B39004J.ADA
B39004K.ADA	B33004L.ADA	B41305A.ADA	B41324B.ADA
B41325B.ADA	B41327B.ADA	B44004A.ADA	B44004B.ADA
B44004C.ADA	B44004D.ADA	B44004E.ADA	B45301A.ADA
B45301B.ADA	B45301C.ADA	B45302A.ADA	B45341A.ADA
B45535A.ADA	B45537A.ADA	B45601A.ADA	B45661A.ADA
B46002A.ADA	B46004A.ADA	B46004B.ADA	B46004C.ADA
B46004D.ADA	B46004E.ADA	B47001A.ADA	B49002A.ADA
B49003A.ADA	B49004A.ADA	B49005A.ADA	B49007A.ADA
B49008A.ADA	B49008B.ADA	B49008C.ADA	B49009A.ADA
B49009B.ADA	B49009C.ADA	B49010A.ADA	B49011A.ADA
B51003B.ADA	B74404A.ADA	B91001H.ADA	
B92001A.ADA			B91003D.ADA
DJCOU IN . AUA	B92001B.ADA	B95069C.ADA	B97103F.ADA

DOD4000 4D1	E444034 454	5111101 151	55.00(1.454
B97103G.ADA	BA1109A.ADA	BA1110A.ADA	BB1006A.ADA
BB1006B.ADA	BC1005A.ADA	BC1014B.ADA	BC1109A.ADA
BUTTUBE.ADA	BC11090.AFA	B311391.AEA	FORTICA.ADA
BC1201F.ADA	BC1201G.ADA	BC1201H.ADA	BC1201I.ADA
BC1201J.ADA			
	BC1201K.ADA	BC1201L.ADA	BC1206A.ADA
BC1230A.ADA	BC1303F.ADA	BC2001D.ADA	BC2001E.ADA
BC2004B.ADA	BC3005B.ADA	BC3104A.ADA	BC3105A.ADA
BC3604A.ADA	BC3604B.ADA	BE2101J.ADA	C24207A.ADA
C25001A.ADA	C25001B.ADA	C25003A.ADA	C25004A.ADA
C2AOO6A.ADA	C2AOO8A.ADA	C2AOO9A.TST	C32001A.ADA
		· · · · · · · · · · · · · · · · · · ·	_
C32001B.ADA	332001C.ADA	C32001D.ADA	032001E.ADA
034107A.ADA	032107C.ADA	032108A.ADA	J52108B.ADA
Openina.AUA	C32112A.ADA	C32112B.ADA	C32113A.ADA
032115A.ADA	C32117A.ADA	C34002C.ADA	C34003A.ADA
0340030.ADA	C34004A.ADA	C34007A.ADA	C34007D.ADA
C34007F.ADA	034307G.ADA	C34007I.ADA	C34007M.ADA
C34007P.ADA	C34007R.ADA	C34007S.ADA	C34007U.ADA
C34012A.ADA	C34015B.ADA	C34016B.ADA	C35102A.ADA
C35106A.ADA	C35502A.ADA	C35502B.ADA	C35502C.ADA
C35502D.TST	C35502E.ADA	C35502F.TST	C35502G.ADA
C35502H.ADA	C35502I.DEP	C35502J.DEP	C35502K.ADA
C35502L.ADA	C35502M.DEP		
		C35502N.DEP	C355020.ADA
C35502P.ADA	C35503A.ADA	C35503B.ADA	C35503C.ADA
C35503D.TST	C35503E.ADA	C35503F.TST	C35503G.ADA
C35505H.ADA	C35503K.ADA	C35503L.ADA	C355030.ADA
C35503P.ADA	C35505C.ADA	C35505D.ADA	C35507A.ADA
C35507B.ADA	C35507C.ADA	C35507E.ADA	C35507G.ADA
C35507H.ADA	C35507I.ADA		
		C35507J.DEP	C35507K.ADA
C35507L.ADA	C35507M.DEP	C35507N.DEP	C355070.ADA
C35507P.ADA	C35508C.ADA	C35508E.ADA	C35508G.ADA
C35508H.ADA	C35508I.DEP	C35508J.DEP	C35508K.ADA
C35508L.ADA	C35508M.DEP	C35508N.DEP	C355080.ADA
C35508P.ADA	C35710A.ADA	C35711B.ADA	C35712A.ADA
C35712B.ADA	C35712C.ADA	C35801D.ADA	C35802Z.DEP
C35902A.ADA			
	C35902B.ADA	C35902D.ADA	C35903A.ADA
C35904B.ADA	C35A02A.ADA	C35A03A.ADA	C35A03B.ADA
C35A03C.ADA	C35AO3D.ADA	C35A03E.ADA	C35A03N.ADA
C35A030.ADA	C35A03P.ADA	C35A03Q.ADA	C35AO3R.ADA
C35A04A.ADA	C35A04B.ADA	C35A04C.ADA	C35A04D.ADA
C35A04N.ADA	C35A040.ADA	C35A04P.ADA	C35A04Q.ADA
C35A05A.ADA			= -
	C35A05D.ADA	C35A05N.ADA	C35A05Q.ADA
C35A06A.ADA	C35A06B.ADA	C35A06D.ADA	C35A06N.ADA
C35A07A.ADA	C35A07B.ADA	C35A07C.ADA	C35A07D.ADA
C35AO7N.ADA	C35A07O.ADA	C35A07P.ADA	C36003A.ADA
C36004A.ADA	C36104A.ADA	C36104B.ADA	C36202C.ADA
C36203A.ADA	C36204B.ADA	C36204C.ADA	C37002A.ADA
C37006A.ADA	C37010A.ADA	C37010B.ADA	
			C37102B.ADA
C37107A.ADA	C37108B.ADA	C37206A.ADA	C37207A.ADA
C37209B.ADA	C37210A.ADA	C37211A.ADA	C37211B.ADA
C37211C.ADA	C37211D.ADA	C37211E.ADA	C37213A.ADA
C37213C.ADA	C37213D.ADA	C37213E.ADA	C37213F.ADA
C37213G.ADA	C37213H.ADA	C37213J.ADA	C37215A.ADA
ODIEIDGIADA	UJII-RUR	O J 1 Z 1 JU • MUR	COLLIDERDE

3050455 453	3553453 431	3050455 454	
C37215B.ADA	C37215C.ADA	C37215D.ADA	C37215E.ADA
OBT218F.ADA	0372153.ADA	037215H.ADA	037403A.ADA
USTAUSH.ALA	Ol Holmania	Jjoulik.Ala	OpeCOLE.ALA
C38004B.ADA	C38102D.ADA	C38102E.ADA	C38108A.ADA
C38108B.ADA	C38108C.ADA	C38108D.ADA	C38201A.ADA
			-
C38202A.ADA	C39005A.ADA	C39006A.ADA	C39006B.ADA
C39006C.ADA	C39006D.ADA	C39006E.ADA	C39006F.ADA
C39007A.ADA	C41104A.ADA	C41304B.ADA	C41307D.ADA
C41308C.ADA	C41308D.ADA	C41320A.ADA	C41321A.ADA
C41322A.ADA	C41323A.ADA	C41324A.ADA	041325A.ADA
041320A.ADA	041327A.ADA	041328A.ADA	041401A.ADA
041402A.ADA	041403A.ADA	C42007A.ADA	04200TB.ADA
0420070.ADA	C42007D.ADA	C42007E.ADA	C42007F.ADA
C42007G.ADA	C42007H.ADA	C42007I.ADA	C42007J.ADA
042007K.ADA	C43003A.ADA	C45111A.ADA	045111B.ADA
C45111C.ADA	C45111D.ADA	C45111E.ADA	C45112A.ADA
C45112B.ADA	C45113A.ADA	C45114B.ADA	C45202B.ADA
C45211A.ADA	C45231A.ADA	C45231B.DEP	C45231C.DEP
C45231D.TST	C45232A.TST	C45232B.ADA	C45242B.ADA
C45251A.ADA	C45252A.ADA	C45252B.ADA	C45253A.ADA
C45264C.ADA	C45265A.ADA	C45271A.ADA	C45272A.ADA
C45273A.ADA	C45281A.ADA	C45282A.ADA	C45282B.ADA
C45304A.ADA	C45304B.DEP	C45304C.DEP	C45331A.ADA
C45331D.ADA	C45332A.ADA	C45344A.ADA	C45431A.ADA
C45502A.ADA	C45502B.DEP	C45502C.DEP	C45503A.ADA
C45503B.DEP	C45503C.DEP	C45504A.ADA	C45504B.DEP
C45504C.DEP	C45504D.ADA	C45504E.DEP	C45504F.DEP
C45524A.DEP	C45524B.DEP	C45524C.DEP	C45524D.DEP
C45524E.DEP	C45524F.DEP	C45524G.DEP	C45524H.DEP
C45524I.DEP	C45524J.DEP	C45524K.DEP	C45524L.DEP
C45524M.DEP	C45524N.DEP	C455240.DEP	C45524P.DEP
C45524Q.DEP	C45524R.DEP	C45524S.DEP	C45524T.DEP
C45524U.DEP	C45524V.DEP	C45524W.DEP	C45524X.DEP
C45524Y.DEP	C45524Z.DEP	C45531A.DEP	C45531B.DEP
C45531C.DEP	C45531D.DEP	C45531E.DEP	C45531F.DEP
C45531G.DEP			
	C45531H.DEP	C45531I.DEP	C45531J.DEP
C45531K.DEP	C45531L.DEP	C45531M.DEP	C45531N.DEP
C455310.DEP	C45531P.DEP	C45532A.DEP	C45532B.DEP
C45532C.DEP	C45532D.DEP	C45532E.DEP	C45532F.DEP
C45532G.DEP	C45532H.DEP	C45532I.DEP	C45532J.DEP
C45532K.DEP	C45532L.DEP	C45532M.DEP	C45532N.DEP
C455320.DEP	C45532P.DEP	C45611A.ADA	C45611B.DEP
C45611C.DEP	C45613A.ADA	C45613B.DEP	C45613C.DEP
C45614A.ADA	C45614B.DEP	C45614C.DEP	C45631A.ADA
C45631B.DEP	C45631C.DEP	C45632A.ADA	C45632B.DEP
C45632C.DEP	C45641A.DEP	C45641B.DEP	C45641C.DEP
C45641D.DEP	C45641E.DEP	C45641F.DEP	C45641G.DEP
C45641H.DEP	C45641I.DEP	C45641J.DEP	-
			C45641K.DEP
C45641L.DEP	C45641M.DEP	C45641N.DEP	C456410.DEP
C45641P.DEP	C45641Q.DEP	C45641R.DEP	C45641S.DEP
C45641T.DEP	C45641U.DEP	C45641V.DEP	C45641W.DEP
C45641X.DEP	C45641Y.DEP	C45651A.ADA	C45662A.ADA

C45662B.ADA	C46011A.ADA	C46012A.DEP	C45012B.DEP
C460120.DEP	046012D.DEF	Cabo12E.DEF	CHEGIEF.DEF
.411123.DEF	1400 (Lin. DEF	C400121.DEF	0450120.DEF
C46012K.DEP	C46012L.DEP	C46012M.DEP	C46012N.DEP
C460120.DEP	C46012P.DEP	C46012Q.DEP	C46012R.DEP
C46012S.DEP	C46012T.DEP	C46012U.DEP	C46012V.DEP
C46012W.DEP	C46012X.DEP	C46012Y.DEP	C46012Z.DEP
C46014A.ADA	C46041A.ADA	C46042A.ADA	C46043A.ADA
C46043B.ADA	C46044A.ADA	C46044B.ADA	C46051A.ADA
C46052A.ADA	C46053A.ADA	C46054A.ADA	C47002A.ADA
C47002E.ADA	0470020.ADA	C47002D.ADA	C47003A.ADA
0-7004 A. ADA	347035A.ADA	C-7006A.ADA	047007A.ADA
C47008A.ADA			
	C47009A.ADA	C47009B.ADA	C49020A.ADA
C49021A.ADA	C49022A.ADA	C49022B.ADA	C49022C.ADA
049023A.ADA	C49024A.ADA	C49025A.ADA	C49026A.ADA
C4AGO6A.ADA	C4A010B.ADA	C4A010D.ADA	C4A012B.ADA
C4A013B.ADA	C64109H.ADA	C64109I.ADA	C64109J.ADA
C64109K.ADA	C64109L.ADA	C85018A.ADA	C85018B.ADA
•			
C85019A.ADA	C87B62D.DEP	C91006A.ADA	C93004D.ADA
C93004F.ADA	C93005B.ADA	C93008A.ADA	C93008B.ADA
C94001B.ADA	C94001C.ADA	C94002D.ADA	C94002E.ADA
C94002F.ADA	C94002G.ADA	C94004A.ADA	C94004B.ADA
C94004C.ADA	C94008A.ADA	C94008B.ADA	C94008C.ADA
C94008D.ADA	C94010A.ADA	C94011A.ADA	C95085B.ADA
C95085C.ADA	C95085D.ADA	C95085E.ADA	C95085F.ADA
C95085G.ADA	C95085H.ADA	C95085I.ADA	C95085J.ADA
C95085K.ADA	C95085L.ADA	C95085M.ADA	C95085N.ADA
C950850.ADA	C95086B.ADA	C95086C.ADA	C95086D.ADA
C95086E.ADA	C95086F.ADA	C95087B.ADA	C95087C.ADA
C95087D.ADA	C97112A.ADA	C97116A.ADA	C97117A.ADA
C97117B.ADA	C97117C.ADA	C97118A.ADA	C97120A.ADA
C97120B.ADA	C97201B.ADA	C97201C.ADA	C97203C.ADA
C97204B.ADA	C97205A.ADA	C97205B.ADA	
			C97301A.ADA
C97301B.ADA	C97301C.ADA	C97301D.ADA	C97301E.ADA
C97302A.ADA	C97303C.ADA	C97304B.ADA	C97305A.ADA
C97305B.ADA	C97305C.ADA	C97305D.ADA	C97307A.ADA
C99004A.ADA	C9A008A.ADA	CA3011A.DEP	CA5006A.ADA
CB1005A.ADA	CB3003B.ADA	CC1018A.ADA	CC1221A.ADA
CC 1222A.ADA			
	CC 1224A. ADA	CC1311A.ADA	CC1311B.ADA
CC3015A.ADA	CC3121A.ADA	CC3601A.ADA	CC3603A.ADA
CE2102H.TST	CE2102K.ADA	CE2105B.ADA	CE2106B.ADA
CE2107G.ADA	CE2107H.ADA	CE2107I.ADA	CE2109B.ADA
CE2109C.ADA	CE2115A.ADA	CE2115B.ADA	CE2201G.ADA
CE2208B.ADA	CE2401H.ADA	CE2411A.ADA	E28002A.ADA
E28002B.ADA	E28002D.ADA	E28005C.ADA	E28005D.ADA
EE2201D.ADA	EE2201E.ADA	EE2401D.ADA	EE2401G.ADA

ACVC 1.9 Disk Information

1 INTRODUCTION

The ACVC 1.9 test files are written on thirty-five diskettes written in MS DOS format at nine sectors per track. One of the files on the first diskette is ACVC9.LST, which contains the names of all tests in the ACVC test suite.

2 FILE NAMING CONVENTIONS

MS-DOS limits the length of the file name to eight characters with a three letter extension (example, BA1011BO.ADA). Some of the tests in the test suite have test names that are nine characters long; therefore, the ninth character has been deleted and the extension has remained the same. The file ACVC9.LST will contain the appropriate names of the files.

3 FILE MODIFICATIONS

Four tests contain a control character, CTRL Z, that is used by MS-DOS as a system code. A substitution has been made to enable the download of the test suite. Where the ^Z is to appear in the tests, {CTRL-Z} is used instead. These are the four tests involved: B22005Z.ADA, B25002A.ADA, B26005A.ADA, B27005A.ADA. If your system supports this control character, replace the {CTRL-Z} with ^Z.

4 TEST MODIFICATIONS

The Ada 3 tests will be periodically updated and corrected. Their correctness is not guaranteed either by the ACVC Maintenance Organization (AMO) or by its contractor. Please report errors in writing to

Mrs. Georgeanne Chitwood ACVC Maintenance Organization ASD/SCOL Wright-Patterson AFB, OH 45433-6503

You will receive notification of changes to this version on a periodic basis. Please notify the AMO of any change of address.

^{*}Ada is a registered trademark of the U.S. Government Ada Joint Program Office (AJPO).

ACVC test names have the following form: NAME.TYPE. The NAME component has the following interpretation, where the first column below indicates the character position in NAME and the second column, the meaning of that position:

- Class of test (A, B, C, D, E, L).
- 2 Implementers' Guide chapter number (in hexadecimal).
- 3 Implementers' Guide section number within a chapter (in hexadecimal).
- Implementers' Guide subsection number or letter.
- 5, 6 Implementers' Guide test objective number (two digit decimal number). There are currently 4 tests (listed in Appendix F) which have letters in this position of the test name. These test names will be renamed to correspond to the Implementers' Guide in a later version of the ACVC.
- 7 Test sequence letter (A-Z).
- 8 Compilation sequence digit (0-9).
- 9 When there are several compilation units, "M" indicates the main program.

Characters 8 and 9 are only present for tests that consist of several separately compiled units. The eighth character indicates the order in which the units are to be compiled (unit 0 is compiled first). The ninth character is only present for the main program and is always "M". Characters 2-8 uniquely identify a test file within a particular version of the test suite.

The source code of each test file gives its own complete name as the first (comment) line of text. Characters 2-8 suffice to identify a test file uniquely. The maximum length of a test file name is 13 characters (e.g., CA1106A4M.ADA).

Class A tests are expected to compile and execute without error. There are no run-time checks in Class A tests, so theoretically such tests need not be executed; they can only fail execution by crashing. Nonetheless, all Class A tests are executed in a validation attempt.

Class B tests are expected to fail compilation. The lines containing illegal constructs that must be detected at compile time are marked "ERROR:", with a very brief indication of what makes the construct illegal. Class B tests are passed if all illegal constructs can be detected by a compiler, and no legal constructs are rejected. This criteria can be satisfied in several ways. Ideally, all lines marked ERROR will contain an error message identifying the illegal construct, and no other lines will be marked as containing errors. Few compilers can meet this high standard for every test. If there is doubt about whether an illegal construct is being detected, the ultimate criterion is to remove all illegal constructs except the one that is in question. If the compiler rejects a test containing a

single illegal construct, then the compiler is considered to detect the illegality, regardless of the content or placement of its error message(s). Distinctly, it a legal construct appears to be rejected for reacons that have nothing to so with other lilegal constructs appearing in a test, the only firm evidence of failure to pass the test is to compile a version of the test that contains no illegal constructs.

Class C tests are expected to compile successfully and execute successfully. All Class C tests are self-checking, although some I/O tests require interaction with a terminal. (Such tests have the TYPE name MAN.) Itests use a reporting package that prints out a message indicating what test is being executed, whether it passes or fails the internal eneck, and if it fails, the nominal reason for the failure. The rejorting package is contained in the files REP_SPEC.ADA and REP_BODY.ADA. These files must be compiled before any Class A, C, D, or E test can be successfully compiled or executed.

Class D tests are capacity tests. All Class D tests are executable, and are expected to execute successfully if no errors are reported at compile time. If an error is reported at compile time, it should be an error associated with the capacity being tested. Such "failures" to compile a valid Ada program are not counted during validation, since such D tests are considered "inapplicable" to the implementation. Failure for any other reason, however, may be considered a failure for purposes of validation, and should be reported to the AVO for a ruling.

Class E tests are executable tests that check whether certain implementation-dependent options have been provided or how certain ambiguities in the Standard have been resolved. These tests print out comments giving their results. The pass/fail criteria for Class E tests are test dependent and are indicated in each Class E test.

Class L tests are expected to fail at link time, i.e., an attempt to execute the main program must generate an error message before any declarations in the main program or any units referenced by the main program are elaborated. Such tests need not fail compilation, but may fail to compile for some implementations. In such cases, the source lines containing the illegal construct are marked with an "ERROR:" comment just as for Class B tests.

Tests that have the TYPE name TST are parameterized to accept certain implementation-dependent values. The parameters are given as identifiers whose name begins with a dollar sign (\$). The MACRO.DEFS file contains a list of all parameters and a specification of the implementation-dependent value that is to be provided. The appropriate textual value must be substituted for these parameters before the tests are suitable for compilation and/or execution.

All Class A, B, C, and L tests having the TYPE name ADA should be passed by a conforming compiler. Class A, B, C, and L tests having the TYPE name TST should be passed after the appropriate implementation-dependent values have been substituted for parameters in the test. Tests having the TYPE name DEP need only be passed for compilers naving certain capabilities, e.g., the compiler purports to support the precedined LONG_FLOAT or LONG_INTEGER data type. Appendix G contains a

list of test applicability criteria that describes the implementation-dependent features of the DEP tests. All DEP tests are executed during a validation attempt except those tests requiring a floating point digits value that exceeds DYSTEM.MAX_DIGITS. DEP tests for a particular construct must all pass or all fail. For example, it would be unacceptable for some LONG_INTEGER_DEP tests to pass and some to fail.

APPENDIX A

PREREQUISITES FOR EXECUTING TESTS

In order to run all of the ACVC tests, all of Ada must be implemented, since the tests cover the entire language. However, each test uses only a small portion of Ada[®] (in addition to the particular Ada feature being tested). In general, we have tried to not use more Ada features than are necessary to write self-checking executable tests that are also not to difficult to read or modify. Thus, we generally stay within a Pascal-like subset of Ada. However, if, for example, we need to use a FOR loop, we use it, rather than use an equivalent WHILE loop or construct a loop with IF and GOTO. In other words, our tests are intended for validating finished implementations rather than for debugging in the earlier stages of implementation.

All of our executable tests use a separately compiled package, REPORT, to automate the reporting of test results and to prevent a compiler from knowing certain values at compile time (and thus optimizing when we don't want it to). The REPORT package uses most of the Ada features that we tend to use throughout the tests, namely

type INTEGER, literals, +, -, relations, :=
type CHARACTER, literals, &, relations, :=
type BOOLEAN, literals, AND, OR, NOT, relations, :=
user-defined enumeration type, literals, relations, :=
type STRING, literals, &, relations, :=
object declarations (and initialization) for above types
subprogram declarations, bodies, calls, with formal
 parameters of all modes and of the above types
IF statements

Our executable tests generally have the following structure:

- -- Name.ADA
- -- Objective
- -- Author

WITH REPORT; USE REPORT;

PROCEDURE Name IS

BEGIN

TEST ("Name.ADA", "Description ..." & "...");

Ada is a registered trademark of the U.S. Government Ada Joint Program Office (AJPO).

Security Control of the Control of t

RECEIPED SCIENCES SERVICES STREETS DESCRIPTION

```
IF ... /= CorrectValue THEN
     FAILED ("headen");
     LND IF;
     RESULT;
END Name;
```

Hence, at least this much of the REPORT package must be implemented to compile and/or run our executable tests.

Since the REPDRT package body is independent of the tests themselves, it can always be recoded to use only those features that are actually working.

We have followed certain coding standards to ensure that the tests are reasonably portable without further modification, for example:

source line length <= 72 characters (except in certain .DEP and .TST tests)
basic 55 character set
small numeric values (12 bit word size is sufficient)
placement of difficult or subsettable features in separate tests
e.g., floating point, fixed point, exceptions, tasking, generics

On the other hand, we have tried to ensure a thorough coverage of Ada and of possible implementations of its features. Thus, for example, if a test objective is concerned with some property of scalar types, then we usually try it for INTEGER, CHARACTER, BOOLEAN, and a user-defined enumeration type (all in one test since we expect all of these types to be implemented); for FLOAT and a user-defined floating point type (in a separate test).

The remaining appendices contain the REPORT package specification and body together with test procedures, CZ1101A.ADA and CZ1102A.ADA, to check that the REPORT package works correctly. If an implementation can successfully compile and execute REPORT, CZ1101A.ADA, and CZ1102A.ADA, then it has a reasonable chance of usefully using the ACVC tests for debugging prior to validation.

Some of the executable I/O tests (tests whose name begins CE...) use a checking program called CHECK FILE. The source code for this procedure is found in the file CHECK FILE.ADA. This procedure should be compiled and put in the library that contains the report package. A program to check that CHECK FILE works is in file CZ1103A.ADA. This program should be executed before executing any I/O tests that use CHECK FILE. Since CZ1103A checks that errors in text files will be detected, CZ1103A will print out some failure messages when it is run. The presence of these messages does not mean the test has failed.

Some of the executable I/O tests create a file that is to be used by another test. In these instances, the tests must be run in sequence without deleting the file that was created. These are the tests that

፞ፚኯዸዀፚቔጜዀጜዄጚዀጜ፟ጜዹፙጜኯ፟ጜዹፙቔቔቔጜኯ፟ጜኯፘቔጜፙጜዄጜዄጜዄጜዄጜዀጜኯ፟ጜኯ፟ጜዹ

create a file, followed by the tests that depend on the file:

CES108A must be followed by CES108B CES108B must be followed by CES112B

APPENDIX B

REPURT SPECIFICATION

```
-- REPURT SPEC.ADA
-- THIS REPORT PACKAGE PROVIDES THE MECHANISM FOR REPORTING THE
-- PASS/FAIL/NOT-APPLICABLE RESULTS OF EXECUTABLE (CLASSES A, C, D, E,
-- AND L) TESTS.
-- IT ALSO PROVIDES THE MECHANISM FOR GUARANTEEING THAT CERTAIN VALUES
-- BECOME DYNAMIC (NOT KNOWN AT COMPILE-TIME).
-- JRK 12/13/79
-- JRK 6/10/80
-- JRK 8/6/81
-- JRK 10/27/82
-- JRK 6/1/84
PACKAGE REPORT IS
  -- THE REPORT ROUTINES.
     PROCEDURE TEST
                              -- THIS ROUTINE MUST BE INVOKED AT THE
                              -- START OF A TEST, BEFORE ANY OF THE
                              -- OTHER REPORT ROUTINES ARE INVOKED.
                              -- IT SAVES THE TEST NAME AND OUTPUTS THE
                              -- NAME AND DESCRIPTION.
        ( NAME : STRING;
                              -- TEST NAME, E.G., "C23001A".
          DESCR : STRING
                              -- BRIEF DESCRIPTION OF TEST, E.G.,
                              -- "UPPER/LOWER CASE EQUIVALENCE IN " &
                              -- "IDENTIFIERS".
```

-- NAME AND DESCRIPTION.

(NAME : STRING; -- TEST NAME, E.G., "C23001A".

-- BRIEF DESCRIPTION OF TEST, E.G.,

-- "UPPER/LOWER CASE EQUIVALENCE IN " &

-- "IDENTIFIERS".

);

PROCEDURE FAILED -- OUTPUT A FAILURE MESSAGE. SHOULD BE

-- INVOKED SEPARATELY TO REPORT THE

-- FAILURE OF EACH SUBTEST WITHIN A TEST.

(DESCR : STRING -- BRIEF DESCRIPTION OF WHAT FAILED.

-- SHOULD BE PHRASED AS:

-- "(FAILED BECAUSE) ...REASON...".

PROJEDURE NOT APPLICABLE -- OUTPUT A NOT-APPLICABLE MESSAGE.

```
-- SHOULD BE INVOKED SEPARATELY TO REPORT
                           -- THE NON-APPLICABILITY OF EACH SUBTEST
                           -- WITHIN A TEST.
                           -- BEIEF DESCRIPTION OF WHAT IS
     . DEFOR : OTFING
                           -- NOT-APPLICABLE. SHOULD BE PHRASED AS:
                           -- "(NOT-APPLICABLE BECAUSE)...REASON...".
     );
  PROCEDURE COMMENT
                           -- OUTPUT A COMMENT MESSAGE.
     ( DESCR : STRING
                          -- THE MESSAGE.
  FROCEDURE RESULT:
                           -- THIS ROUTINE WOST BE INVOKED AT THE
                           -- END OF A TEST. IT OUTPUTS A MESSAGE
                           -- INDICATING WHETHER THE TEST AS A
                           -- WHOLE HAS PASSED OR FAILED, OR IS
                           -- NOT-APPLICABLE.
-- THE DYNAMIC VALUE ROUTINES.
  -- EVEN WITH STATIC ARGUMENTS, THESE FUNCTIONS WILL HAVE DYNAMIC
  -- RESULTS.
  FUNCTION IDENT INT
                          -- AN IDENTITY FUNCTION FOR TYPE INTEGER.
     ( X : INTEGER
                          -- THE ARGUMENT.
     ) RETURN INTEGER;
                           -- X.
                           -- AN IDENTITY FUNCTION FOR TYPE
  FUNCTION IDENT CHAR
                           -- CHARACTER.
     ( X : CHARACTER
                         -- THE ARGUMENT.
     ) RETURN CHARACTER: -- X.
  FUNCTION IDENT BOOL
                          -- AN IDENTITY FUNCTION FOR TYPE BOOLEAN.
     ( X : BOOLEAN
                          -- THE ARGUMENT.
     ) RETURN BOOLEAN:
                          -- X.
  FUNCTION IDENT STR
                           -- AN IDENTITY FUNCTION FOR TYPE STRING.
     ( X : STRING
                          -- THE ARGUMENT.
     ) RETURN STRING:
                          -- X.
  FUNCTION EQUAL
                           -- A RECURSIVE EQUALITY FUNCTION FOR TYPE
                           -- INTEGER.
     ( X, Y : INTEGER
                           -- THE ARGUMENTS.
     ) RETURN BOOLEAN;
                          -- X = Y.
```

END REPORT;

APPENDIX C

REPORT BODY

```
-- REPOFT_BODY.ADA
-- DCB 04/27/80
-- JRK 6/10/80
-- JRK 11/12/80
-- JRK 8/6/81
-- JRK 10/27/82
-- JRK 6/1/84
-- JRK 11/18/85 ADDED PRAGMA ELABORATE.
WITH TEXT IO;
USE TEXT TO;
PRAGMA ELABORATE (TEXT_IO);
PACKAGE BODY REPORT IS
     TYPE STATUS IS (PASS, FAIL, DOES_NOT_APPLY);
     TEST_STATUS : STATUS := FAIL;
    NO_NAME : CONSTANT STRING (1..7) := "NO_NAME";
    MAX NAME LEN : CONSTANT := 15;
                                      -- MAXIMUM TEST NAME LENGTH.
    TEST_NAME_LEN : INTEGER RANGE O .. MAX_NAME_LEN := 0;
    TEST_NAME : STRING (1..MAX_NAME_LEN);
    PROCEDURE PUT MSG (MSG : STRING) IS
         -- WRITE MESSAGE. LONG MESSAGES ARE FOLDED (AND INDENTED).
         MAX_LEN : CONSTANT INTEGER RANGE 50..150 := 72; -- MAXIMUM
                                        -- OUTPUT LINE LENGTH.
         INDENT : CONSTANT INTEGER := TEST NAME_LEN + 9; -- AMOUNT TO
                                        -- INDENT CONTINUATION LINES.
         I : INTEGER := 0;
                                        -- CURRENT INDENTATION.
         M : INTEGER := MSG'FIRST;
                                        -- START OF MESSAGE SLICE.
         N : INTEGER;
                                        -- END OF MESSAGE SLICE.
    BEGIN
         LOOP
              IF I + (MSG'LAST-M+1) > MAX_LEN THEN
                    N := M + (MAX LEN-I) - 1;
                    IF MSG (N) /= ' ' THEN
                         WHILE N >= M AND THEN MSG (N+1) /= ' ' LOOP
                              N := N - 1;
```

```
END LOOP;
                    IF N < M THEN
                         N := M + (MAX LEN-I) - 1;
               END IF:
          ELSE N := MSG'LAST;
          END IF:
          SET COL (STANDARD OUTPUT, COUNT (I+1)):
          PUT LINE (STANDARD OUTPUT, MSG (M..N));
          I := INDENT:
          M := N + 1:
          WHILE M KE MSG'LAST AND THEN MSG (M) = 1 1 LOOP
               M := M + 1:
          ENI LOUP;
          EXIT WHEN M > MSG'LAST;
     END LOOP:
END PUT MSJ;
PROCEDURE TEST (NAME : STRING; DESCR : STRING) IS
     TEST STATUS := PASS;
     IF NAME LENGTH <= MAX NAME LEN THEN
          TEST NAME LEN := NAME LENGTH;
     ELSE TEST NAME LEN := MAX NAME LEN;
    END IF;
     TEST NAME (1.. TEST NAME LEN) :=
               NAME (NAME'FIRST .. NAME'FIRST+TEST NAME LEN-1);
     PUT MSG (""):
     PUT MSG ("---- " & TEST NAME (1..TEST NAME LEN) & " " &
              DESCR & "."):
END TEST;
PROCEDURE COMMENT (DESCR : STRING) IS
BEGIN
     PUT_MSG ("
                - " & TEST_NAME (1..TEST_NAME_LEN) & " " &
              DESCR & ".");
END COMMENT:
PROCEDURE FAILED (DESCR : STRING) IS
BEGIN
     TEST STATUS := FAIL;
     PUT MSG (" * " & TEST_NAME (1..TEST_NAME_LEN) & " " &
              DESCR & ".");
END FAILED:
PROCEDURE NOT APPLICABLE (DESCR : STRING) IS
BEGIN
     IF TEST STATUS = PASS THEN
          TEST STATUS := DOES NOT APPLY;
     END IF;
     PUT MSG ("
                + " & TEST NAME (1..TEST NAME LEN) & " " &
              DESCR & "."):
END NOT APPLICABLE:
PROCEDURE RESULT IS
```

```
BEGIN
     IF TEST STATUS = PASS THEN
         PUT MEG ("same " & TEST NAME (1..TENT NAME LEW) &
                  " [គរ្គ្រី] ទទុកទទឹងនេះ។ ខេត្តខេត្ត (") 🕻
     ELSIF TEST STATUS = DOES NOT APPLY THEN
         PUT MSG ("++++ " & TEST NAME (1..TEST NAME LEN) &
                   " NOT-APPLICABLE +++++++++++++++++");
     ELSE PUT MSG ("*** " & TEST NAME (1..TEST NAME LEN) &
                  END IF;
     TEST STATUS := FAIL;
     TEST_NAME LEN := NO NAME'LENGTH;
END RESULT;
          NAME (1..TEST NAME LEN) := NO NAME;
FUNCTION IDENT INT (X : INTEGER) RETURN INTEGER IS
5E JIN
     IF EQUAL (X, X) THEN -- ALWAYS EQUAL.
         RETURN X;
                                -- ALWAYS EXECUTED.
     END IF;
     RETURN 0:
                                -- NEVER EXECUTED.
END IDENT INT;
FUNCTION IDENT CHAR (X: CHARACTER) RETURN CHARACTER IS
     IF EQUAL (CHARACTER'POS(X), CHARACTER'POS(X)) THEN -- ALWAYS
                                  -- EQUAL.
          RETURN X:
                                  -- ALWAYS EXECUTED.
     END IF:
     RETURN '0':
                                 -- NEVER EXECUTED.
END IDENT CHAR;
FUNCTION IDENT BOOL (X : BOOLEAN) RETURN BOOLEAN IS
BEGIN
     IF EQUAL (BOOLEAN'POS(X), BOOLEAN'POS(X)) THEN -- ALWAYS
                                  -- EQUAL.
          RETURN X;
                                  -- ALWAYS EXECUTED.
     END IF;
     RETURN FALSE:
                                 -- NEVER EXECUTED.
END IDENT BOOL;
FUNCTION IDENT STR (X : STRING) RETURN STRING IS
     IF EQUAL (X'LENGTH, X'LENGTH) THEN -- ALWAYS EQUAL.
         RETURN X:
                                 -- ALWAYS EXECUTED.
     END IF:
     RETURN "":
                                -- NEVER EXECUTED.
END IDENT STR;
FUNCTION EQUAL (X, Y: INTEGER) RETURN BOOLEAN IS
     REC LIMIT : CONSTANT INTEGER RANGE 1..100 := 3; -- RECURSION
                                 -- LIMIT.
     Z : BOOLEAN:
                                  -- RESULT.
     IF X < 0 THEN
```

haron soul

```
IF Y < 0 THEN
                    Z := EQUAL (-X, -Y);
               ELSE 2 := FALSE;
               E'AR IF;
          ELSIF X > REC LIMIT THEN
               Z := EQUAL (REC_LIMIT, Y-X+REC_LIMIT);
          ELSIF X > 0 THEN
               Z := EQUAL (X-1, Y-1);
          ELSE Z := Y = 0;
          END IF;
          RETURN Z;
     EXCEPTION
          WHEN SIMERS =>
               RETURN X = Y;
     END EQUAL;
BEGIN
     TEST_NAME_LEN := NO NAME'LENGTH;
     TEST_NAME (1..TEST_NAME LEN) := NO NAME;
```

END REPORT;

APPENDIX D

REPORT ACCEPTANCE TEST

-- CZ1101A.ADA

```
-- CHECK THAT THE REPORT ROUTINES OF THE REPORT PACKAGE WORK CORRECTLY.
-- JRK 8/7/81
-- JRK 10/27/82
-- JRK 6/1/84
WITH REPORT:
USE REPORT:
PROCEDURE CZ1101A IS
BEGIN
     COMMENT ("CZ1101A: CHECK REPORT ROUTINES. CHECKING 'COMMENT'");
     COMMENT ("CHECKING 'PUT MSG' FOR PROPER OUTPUT");
     COMMENT ("THIS LINE IS EXACTLY 'MAX LEN' LONG. " &
              "....5...60....5...70.");
     COMMENT ("THIS COMMENT HAS A WORD THAT SPANS THE FOLD " &
              "POINT. THIS COMMENT FITS EXACTLY ON TWO LINES. " &
              "...5...60....5...70.");
     COMMENT ("THIS COMMENT HAS A WORD THAT ENDS AT THE " &
              "FOLD POINT ...70...
                                      THE SPACES JUST AFTER " &
              "THE FOLD POINT SHOULD BE GONE");
     COMMENT ("THIS COMMENT HAS A WORD THAT BEGINS AT THE " &
              "FOLD POINT. THIS SHOULD BE ON THE SECOND LINE");
     COMMENT ("THIS COMMENT HAS SPACES SPANNING THE FOLD " &
              "POINT. ..5...70
                                   THIS SHOULD BE ON THE " &
              "SECOND LINE"):
     COMMENT ("THIS COMMENT IS ONE VERY LONG WORD AND SO " &
              "IT SHOULD BE SPLIT AT THE FOLD POINT");
     COMMENT ("CHECKING THAT REPORT BODY INITIALIZES TO " &
              "'NO NAME' AND 'FAILED'. CHECKING 'RESULT'");
     RESULT:
```

TEST ("PASS_TEST", "CHECKING 'TEST' AND 'RESULT' FOR 'PASSED'");

```
COMMENT ("CHECKING THAT INDENTATION OF CONTINUATION LINES IS " &
             "ADJUSTED ACCORDING TO TEST NAME LENGTH");
    RESULT:
    COMMENT ("CHECKING 'RESULT' FOR RESETTING TO 'NO NAME' " &
             "AND 'FAILED'");
    RESULT:
    COMMENT ("CHECKING THAT INDENTATION OF CONTINUATION LINES IS " &
             "ADJUSTED ACCORDING TO TEST NAME LENGTH");
    TEST ("FAIL TEST", "CHECKING 'FAILED' AND 'RESULT' FOR 'FAILED'"):
    FAILED ("JHECKING 'FAILED'");
    RECULT;
    TEST ("NA_TEST", "CHECKING 'NOT APPLICABLE' AND 'RESULT' FOR " &
                     "'NOT-AFFLICABLE'");
    NOT APPLICABLE ("CHECKING 'NOT APPLICABLE'. NOW 'RESULT' SHOULD " &
                    "BE 'NOT-APPLICABLE'");
    RESULT:
    TEST ("FAIL_NA_TEST", "CHECKING 'FAILED', 'NOT_APPLICABLE', AND " &
                          "'RESULT' FOR 'FAILED'");
    NOT APPLICABLE ("CHECKING 'NOT APPLICABLE'. NOW 'RESULT' SHOULD " &
                    "BE 'NOT-APPLICABLE'");
    FAILED ("CHECKING 'FAILED'. NOW 'RESULT' SHOULD BE 'FAILED'"):
    NGT_APPLICABLE ("CHECKING 'NOT APPLICABLE'. NOW 'RESULT' SHOULD " &
                     "STAY 'FAILED'"):
    RESULT:
     COMMENT ("END CZ1101A"):
END CZ1101A:
-- CZ1102A.ADA
-- CHECK THAT THE DYNAMIC VALUE ROUTINES OF THE REPORT PACKAGE WORK
-- CORRECTLY.
-- JRK 8/7/81
-- JRK 10/27/82
WITH REPORT:
USE REPORT:
PROCEDURE CZ1102A IS
BEGIN
     TEST ("CZ1102A", "CHECK THAT THE DYNAMIC VALUE ROUTINES OF " &
                         "THE REPORT PACKAGE WORK CORRECTLY");
     IF NOT EQUAL (O. O) OR
        EQUAL (0, 1) OR
        NOT EQUAL (1, 1) OR
```

```
NOT EQUAL (3, 3) OR
       NOT EQUAL (4, 4) OR
        NOT EQUAL (-1, -1) OR
        Bugan (41, 1) THEN
         FAILED ("'EQUAL' NOT WORKING");
     END IF;
     IF IDENT_INT (5) /= 5 THEN
         FAILED ("'IDENT_INT' NOT WORKING");
     END IF;
     IF | IDENT_CHAR ('E') /= 'E' THEN
          FAILED ("'IDENT CHAR' NOT WORKING");
     END IF;
     IF IDENT_BOOL (TRUE) /= TRUE THEN
          FAILED ("'IDENT BOOL' NOT WORKING");
     END IF;
     IF IDENT STR ("") /= "" OR
        IDENT_STR ("K") /= "K" OR
        IDENT STR ("PQRS") /= "PQRS" THEN
          FAILED ("'IDENT STR' NOT WORKING");
     END IF:
     RESULT;
END CZ1102A;
```

APPENDIX E

MADRO DEFINITIONS

- -- MAGRO.DEFS
- -- THIS FILE CONTAINS THE MACRO DEFINITIONS USED IN THE ACVC TESTS.
- -- THESE DEFINITIONS ARE FOR THE PRELIMINARY ADA TEST TRANSLATOR.
- -- THE MAXIMUM INPUT LINE LENGTH PERMITTED BY THE COMPILER FOR ADA
- -- SOURCE CODE.
- -- USED IN: COMMENTS IN THIS FILE, A26007A
- MAX IN LEN 120
- -- TWO IDENTIFIERS THAT ARE MAX IN LEN LONG AND DIFFER ONLY IN THEIR
- -- LAST CHARACTER.
- -- USED IN: C23003A, C23003B, C23003C, B23003D, B23003E, B23003F,
- -- C23003G, C23003H, C23003I, C23003J, C35502D, C35502F

- -- TWO IDENTIFIERS THAT ARE MAX IN LEN LONG AND DIFFER ONLY IN THEIR
- -- MIDDLE CHARACTER.
- -- USED IN: C23003A, C23003B, C23003C, C23003G, C23003H, C23003I,
- -- C23003J

- -- TWO STRING LITERALS WHOSE CONCATENATION IS THE IMAGE OF BIG ID1.
- -- USED IN: C35502D, C35502F

- -- A STRING LITERAL THAT IS MAX IN LEN CHARACTERS LONG (INCLUDING THE
- -- QUOTE CHARACTERS).
- -- USED IN: A26007A

```
-- A BASED INTEGER LITERAL (PREFERABLY BASE 8 OR 16) WHOSE HIGHEST ORDER
-- NON-ZERO BIT WOULD FALL IN THE SIGN BIT POSITION OF THE
-- REPRESENTATION FOR SYSTEM. MAX INT, I.E., AN ATTEMPT TO WRITE A
-- Migative valued diteral cook \overline{A}0 -c.
-- USED IN: E24101A
NEG BASED INT 16#FFFFFFE#
-- A UNIVERSAL INTEGER LITERAL WHOSE VALUE IS 298, BUT WITH ENOUGH
-- LEADING ZEROES SO THAT IT IS MAX IN LEN CHARACTERS LONG.
-- USED IN: C24003A
            PIG INT LIT
            -- A UNIVERSAL REAL LITERAL WHOSE VALUE IS 690.0, BUT WITH ENOUGH
-- LEADING ZEROES SO THAT IT IS MAX IN LEN CHARACTERS LONG.
-- USED IN: 024003B, 0240030
-- A UNIVERSAL INTEGER BASED LITERAL (USING COLONS) WHOSE VALUE IS
-- 2:11: BUT WITH ENOUGH LEADING ZEROES IN THE MANTISSA SO THAT THE
-- LITERAL IS MAX IN LEN CHARACTERS LONG.
-- USED IN: C2A009A
000000000000000000000000000000000011:
-- A UNIVERSAL REAL BASED LITERAL (USING COLONS) WHOSE VALUE IS
-- 16:F.E:, BUT WITH ENOUGH LEADING ZEROES IN THE MANTISSA SO THAT THE
-- LITERAL IS MAX IN LEN CHARACTERS LONG.
-- USED IN: C2A009A
                        MAX LEN REAL BASED LITERAL
                            -- A SEQUENCE OF BLANKS THAT IS MAX IN LEN - 20 LONG.
-- USED IN: B22001A, B22001B, B22001C, B22001D, B22001E, B22001F.
          B22001G, B22001I, B22001J, B22001K, B22001L, B22001M,
          B22001N
BLANKS
-- THE UNIVERSAL INTEGER LITERAL WHOSE VALUE IS SYSTEM.MAX DIGITS.
-- USED IN: B35701A
MAX DIGITS
-- A NAME OF A PREDEFINED NUMERIC TYPE OTHER THAN FLOAT, INTEGER,
-- SHORT FLOAT, SHORT_INTEGER, LONG FLOAT, OR LONG_INTEGER.
-- (MOST IMPLEMENTATIONS WILL NOT HAVE ANY SUCH TYPES.)
-- USED IN: C45231D. B86001DT
       SHORT SHORT INTEGER
NAME
-- THE (SIGNED) UNIVERSAL INTEGER LITERALS WHOSE VALUES ARE
-- INTEGER'FIRST AND INTEGER'LAST.
-- USED IN: C35503F, C45232A, B54B01B
INTEGER FIRST -2 147 483 648
             2 147 483 647
INTEGER LAST
```

```
-- THE UNIVERSAL INTEGER LITERAL WHOSE VALUE IS INTEGER'LAST + 1.
-- USED IN: 048033A
INTEGER_LAST_FLUS_1 L_147_485_648
-- THE (SIGNED) UNIVERSAL INTEGER LITERAL WHOSE VALUE IS SYSTEM.MIN INT.
-- USED IN: C35503D, C35503F
MIN INT -2147483648
-- THE UNIVERSAL INTEGER LITERAL WHOSE VALUE IS SYSTEM.MAX INT.
-- USED IN: 035503D, 035503F, 04A007A
MAX INT 2147453547
-- THE UNIVERSAL INTEGER LITERAL WHOSE VALUE IS SYSTEM. MAX INT + 1.
-- USED IN: C45232A
MAX INT PLUS 1 2 147 483 648
-- A (SIGNED) UNIVERSAL REAL LITERAL WHOSE VALUE (NOT SUBJECT TO
-- ROUND-OFF ERROR IF POSSIBLE) LIES BETWEEN DURATION'BASE'FIRST AND
-- DURATION'FIRST. IF NO SUCH VALUES EXIST, ANY VALUE IN THE RANGE OF
-- DURATION WILL DO.
-- USED IN: C96005B
LESS THAN DURATION
                      -75 000.0
-- A UNIVERSAL REAL LITERAL WHOSE VALUE (NOT SUBJECT TO ROUND-OFF ERROR
-- IF POSSIBLE) LIES BETWEEN DURATION'BASE'LAST AND DURATION'LAST. IF
-- NO SUCH VALUES EXIST, ANY VALUE IN THE RANGE OF DURATION WILL DO.
-- USED IN: C96005B
GREATER_THAN_DURATION 75_000.0
-- (SIGNED) UNIVERSAL REAL LITERALS WHOSE VALUES ARE LESS THAN
-- DURATION'BASE'FIRST AND GREATER THAN DURATION'BASE'LAST.
-- USED IN: C96005C
LESS THAN DURATION BASE FIRST -131 073.0
GREATER THAN DURATION BASE LAST 131 073.0
-- THE UNIVERSAL INTEGER LITERAL WHOSE VALUE IS TEXT IO.COUNT'LAST.
-- USED IN: CE3002B
               2 147_483 647
COUNT_LAST
-- THE UNIVERSAL INTEGER LITERAL WHOSE VALUE IS TEXT IO.FIELD'LAST.
-- USED IN: CE3002C
FIELD LAST
              2 147_483 647
-- AN ILLEGAL EXTERNAL FILE NAME THAT EITHER (PREFERABLY) CONTAINS
-- INVALID CHARACTERS OR IS TOO LONG.
-- USED IN: CE2102C, CE2102H
                              BAD-CHARS^#.$!X
FILE NAME_WITH_BAD_CHARS
-- AN EXTERNAL FILE NAME THAT EITHER (PREFERABLY) CONTAINS A WILD CARD
-- CHARACTER OR IS TOO LONG.
-- USED IN: CE2102C, CE2102H
FILE NAME WITH WILD CARD CHAR WILD-CHAR . NAM
-- AN ILLEGAL EXTERNAL FILE NAME (E.G., TOO LONG, OR CONTAINING INVALID
```

Pag: E-4 MACHU DEFINITIONS

-- JHARASTERS.

-- USED IN: CELIOSA, CELIOSB, CESIO2B, CESIOTA
THE FRAL EXTERNAL FILE NAME: PADCHARGE. TO THE FILE NAME: THE FILE NAME:

The Francisco - A

IT-WERE-NOT-SO-LONG--IT-HAD-NEARL1-ONE-HOWEREL-SIXTY-CHARACTERS-WHICH-MAKES-IT-MUCH-TOO-LONG-FOR-VMS.SO-THERE

APPENDIX F

NON-STANDARD TEST NAMES

Ogucada.ADA OgioBDA.ADA OgioBDE.ADA OgioBDE.ADA

APPENDIX 3

TROT APPLICABILITY CRITERIA

Certain tests may be inapplicable (N/A) according to the way an implementation treats certain language features. These implementation choices and the tests affected are listed in this section. Note that N/A tests are still to be compiled (and executed if not of Class B) to verify the implementation's treatment of these features.

o Is SHORT INTEGER supported? (Y/N)

If No, the following tests are inapplicable:

B52004E.DEP

B55B09D.DEP

C45231B.DEP

C45304B.DEP

C45502B.DEP

C45503B.DEP

C45504B.DEP

C45504E.DEP

C45611B.DEP

C45613B.DEP

C45614B.DEP

C45631B.DEP

C45632B.DEP

C55B07B.DEP

an Bassash waterer leavests embated

B86001CR.DEP

```
to Is 17NG INTEGER supported (Y/N)
   If No, the following tests are inapplicable:
          B52004D.DEP
          B55B09C.DEP
          C45231C.DEP
          C45304C.DEP
          0455000.0EF
          OHE FUZÜNDER
          3455343.2EE
          OubbluF.DEP
          0456110.DEP
          Jase 150.DEF
          0456140.DEP
          C45631C.DEP
          C45632C.DEP
          C55B07A.DEP
          B86001CS.DEP
o Is SHORT_FLOAT supported? (Y/N) _____
   If No, the following tests are inapplicable:
          C35702A.DEP
          B86001CP.DEP
o Is LONG_FLOAT supported? (Y/N) ____
   If No, the following tests are inapplicable:
          C35702B.DEP
          B86001CQ.DEP
o Are representation specifications for non-contiguous values
   allowed? (Y/N)
   If No, the following tests are inapplicable:
          A39005F.DEP
          C35502I.DEP
          C35502J.DEP
          C35502M.DEP
          C35502N.DEP
          C35507J.DEP
          C35507M.DEP
          C35507N.DEP
          C35508I.DEP
          C35508J.DEP
          C35508M.DEP
          C35506N.DEP
          C55B15A.DEP
```

÷	To some numeric type ofner than INTEGES, DECET_INTEGES of the condition of	: ,
	If No, the following tests are inapplicable:	
	B86001DT.TST C45231D.TST	
C	Is the paskage SYSTEM used by paskage TEXT_TOP (Y/N)	
	If Yes, the following tests are inapplicable:	
	066001F.DEP	
0	Are 'SIZE representation clauses for enumeration types support (Y/N)?	ed
	If No, the following test is inapplicable:	
	A39005B.DEP	
0	Are 'SIZE representation clauses for derived integer typ supported (Y/N)?	es
	If No, the following test is inapplicable:	
	C87B62A.DEP	
0	Are 'STORAGE_SIZE representation clauses for access typ supported (Y/N)?	es
	If No, the following tests are inapplicable:	
	A39005C.DEP C87B62B.DEP	
٥	Are 'STORAGE_SIZE representation clauses for task types support (Y/N)?	ed
	If No, the following tests are inapplicable:	
	A39005D.DEP C87B62D.DEP	

	If No, the following tests are inapplicable:
	A39005E.DEP C87B62C.DEP
0	Are enumeration representation clauses supported for enumeration types other than character and poolean types? (Y.N.
	If No, the following tests are inapplicable:
	A39005F.DEP 035502I.DEP 035502M.DEP 035502N.DEP
0	Are enumeration representation clauses supported for characte types? (Y/N)
	If No, the following tests are inapplicable:
	C35507T.DEP C35507J.DEP C35507M.DEP C35507N.DEP
o	Are enumeration representation clauses (with representation value other than (FALSE => 0, TRUE =>1)) supported for boolean types (Y/N)
	If No, the following tests are inapplicable:
	C35508I.DEP C35508J.DEP C35508N.DEP
0	Are record representation clauses supported? (Y/N)
	If No, the following test is inapplicable:
	A39005G.DEP
0	Can generic library subprogram bodies be compiled in separat files from the specifications? (Y/N)
	If No, the following test is inapplicable:
	If No, the following test is inapplicable: CA:1012A*.DEP

	from its are itilation. The
	Ir No, then the following tests are inapplicable:
	BC3204C*.DEP BC3204D*.DEP
Ç	Can a generic non-lithary package body te compiled as a subunit in a separate file from its specification(\(\frac{Y}\)\).
	If No, the following test is inapplicable:
	CA2COyO*.DEP
0	Can a generic non-library subprogram body be compiled as a subunit in a separate file from its specification? (Y/N)
	If No, then the following test is inapplicable:
	CA2009F*.DEP
0	Can a generic procedure have subunits which are compiled in separate files from the generic unit? (Y/N)
	If No, then the following test is inapplicable:
	CA3017A*.DEP
0	Can SEQUENTIAL_IO be instantiated with unconstrained array types? (Y/N)
	If No, then the following tests are inapplicable:
	AE2101C.DEP EE2201D.ADA
0	Can SEQUENTIAL_IO be instantiated with record types with discriminants with no default values? (Y/N)
	If No, then the following tests are inapplicable:
	AE2101C.DEP EE2201E.ADA

o Can DIRFIT_TO be instantiated with unconstrained array types'
i '

If No, then the following tests are inapplicable:

AE2101H.DEP EE2401D.ADA

o Jan DIRECT_ID be instantiated with record types with disoriminants with no default values? (Y.N)

If No, then the following tests are inapplicable:

AE2101H.DEP EE2401G.ADA

o Are there any strings which are illegal as external names of files? (Y/N)

If No, then the following tests are inapplicable:

CE2102C.TST CE2102H.TST

o Consider the following declarations:

TYPE F IS DIGITS SYSTEM.MAX_DIGITS;
N : CONSTANT := 2.0 * F'MACHINE RADIX ** F'MACHINE EMAX;

The following test is inapplicable if the compiler rejects the declaration of N on the grounds that evaluation of the expression would raise an exception:

C4A013B.ADA

o Does the implementation support the following three fixed point type definitions? (Y/N)

DELTA 0.5 RANGE -2.0**10 .. 2.0**10 - 0.5

DELTA 1.0 RANGE -2.0**11 .. 2.0**11 - 1.0

DELTA 2.0**10 RANGE -2.0**21 .. 2.0**21 - 2.0**10

If No, then the following tests are inapplicable:

C45531C.DEP C45531D.DEP C45532C.DEP C45532D.DEP o Does the implementation support the following three fixed point type definitions: (Y/N)

LECTA 1.0 FANGE =2.0##14 .. 2.0##14 = 0.5 DELTA 1.0 RANGE =2.0##15 .. 2.0##15 = 1.0 DELTA 2.0##14 RANGE =2.0##29 .. 2.0##29 = 2.0##14

If No, then the following tests are inapplicable:

C45531G.DEP C45531H.DEP C455324.DEP C455324.DEP

O Does the implementation support the following three fixed point type definitions? (Y/N)

DELTA 0.5 RANGE -2.0**30 .. 2.0**30 - 0.5
DELTA 1.0 RANGE -2.0**31 .. 2.0**31 - 1.0
DELTA 2.0**30 RANGE -2.0**61 .. 2.0**61 - 2.0**30

If No, then the following tests are inapplicable:

C45531K.DEP C45531L.DEP C45532K.DEP C45532L.DEP

o Does the implementation support the following three fixed point type definitions? (Y/N)

DELTA 0.5 RANGE -2.0##46 .. 2.0##46 - 0.5 DELTA 1.0 RANGE -2.0##47 .. 2.0##47 - 1.0 DELTA 2.0##46 RANGE -2.0##93 .. 2.0##93 - 2.0##46

If No, then the following tests are inapplicable:

C455310.DEP C45531P.DEP C455320.DEP C45532P.DEP o Does the implementation support the following three fixed point type definitions? (Y/N) DELTA 0.0**-12 RANGE -0.5 .. 0.8 - 0.0**-10 DELTA 2.0**-11 RANGE -1.0 .. 1.0 - 2.0**-11 DELTA 2.0**-10 RANGE -2.0 .. 2.0 - 2.0**-10 If No, then the following tests are inapplicable: C45531A.DEP C45531B.DEP C45532A.DEP J45532B.DEP o Does the implementation support the following three fixed point type definitions? (Y/N) DELTA 2.0**-16 RANGE -0.5 .. 0.5 - 2.0**-16 DELTA 2.0##~15 RANGE -1.0 .. 1.0 - 2.0##-15 DELTA 2.0**-14 RANGE -2.0 .. 2.0 - 2.0**-14 If No, then the following tests are inapplicable: C45531E.DEP C45531F.DEP C45532E.DEP C45532F.DEP o Does the implementation support the following three fixed point type definitions? (Y/N) DELTA 2.0**-32 RANGE -0.5 .. 0.5 - 2.0**-32 DELTA 2.0 == -31 RANGE -1.0 .. 1.0 - 2.0 == -31 DELTA 2.0 - 30 RANGE -2.0 .. 2.0 - 2.0 - 30 If No, then the following tests are inapplicable:

C45531I.DEP C45531J.DEP C45532I.DEP C45532J.DEP Does the implementation support the following three fixed point type definitions? (Y/N)

DELTA 2.0**-45 BANGE -0.5 .. 0.5 - 2.0**-45 DELTA 2.0**-47 BANGE -1.0 .. 1.0 - 2.0**-47 DELTA 2.0**-46 RANGE -2.0 .. 2.0 - 2.0**-46

If No, then the following tests are inapplicable:

C45531M.DEP C45531N.DEP C45532M.DEP C45532N.DEP o What is the value of SYSTEM.MAX_DIGITS?

The following tests depend on the value of SYSTEM.MAX PIGITO:

C24113A,B,...Y C35705A,B,...Y C35706A,B,...Y C35707A,B,...Y C35708A,B,...Y C35802A,B,...Y C45241A,B,...Y C45321A,B,...Y C45321A,B,...Y C45524A,B,...Z C45524A,B,...Z C45621A,B,...Z C45641A,B,...Y C46012A,B,...Z

Use the table below to determine which of these tests are applicable based on the value of SYSTEM.MAX_DIGITS.

MAX_DIGITS	Last Letter of Test Name
5	A
5 6	A,B
7	AC
8	AD
9	AE
10	AF
11	AG
12	АН
13	AI
14	AJ
15	AK
16	AL
17	AM
18	AN
19	AO
20	AP
21	AQ
22	AR
23	AS
24	AT
25	AU
26	AV
27	AW
28	AX
29	AY
30	AZ

APPENDIX H

EXECUTABLE TESTS WHICH MAY BE INAPPLICABLE

Some Class C and Class E tests can detect, at run-time, certain implementation characteristics which make the test inapplicable. The result reported for these tests is NOT-APPLICABLE. These tests must be compiled and executed. They are listed here, grouped according to the implementation characteristics which make them inapplicable.

There are also certain implementation characteristics which the tests do not detect at compile/link-time, but which may not report NOT-APPLICABLE, even though they are ruled inapplicable to the implementation. These tests are given at the end of this Appendix.

o Is USE ERROR or NAME ERROR raised by every attempt to create or open a text file? (Y/N) (This is the appropriate behavior for an implementation which does not support text files other than the standard input and output. See AI-00332.)

If Yes, then the following tests should report NOT-APPLICABLE:

JED109J.ADA	CEB102B.ADA	EE31020.ADA
JE3103A.ADA	JEB104A.ADA	CESTOTA.ADA
CE3108A.ADA	CE3108B.ADA	CE3109A.ADA
CE3110A.ADA	CE3111A.ADA	CE3111B.ADA
CE3111C.ADA	CE3111D.ADA	CE3111E.ADA
CE3112A.ADA	CE3112B.ADA	CE3114A.ADA
CE3114B.ADA	CE3115A.ADA	CE3203A.ADA
CE3208A.ADA	CE3301A.ADA	CE3301B.ADA
CE3301C.ADA	CE3302A.ADA	CE3305A.ADA
CE3402A.ADA	CE3402B.ADA	CE3402C.ADA
CE3402D.ADA	CE3403A.ADA	CE3403B.ADA
CE3403C.ADA	CE3403E.ADA	CE3403F.ADA
CE3404A.ADA	CE3404B.ADA	CE3404C.ADA
CE3405A.ADA	CE3405B.ADA	CE3405C.ADA
CE3405D.ADA	CE3406A.ADA	CE3406B.ADA
CE3406C.ADA	CE3406D.ADA	CE3407A.ADA
CE3407B.ADA	CE3407C.ADA	CE3408A.ADA
CE3408B.ADA	CE3408C.ADA	CE3409A.ADA
CE3409C.ADA	CE3409D.ADA	CE3409E.ADA
CE3409F.ADA	CE3410A.ADA	CE3410C.ADA
CE3410D.ADA	CE3410E.ADA	CE3410F.ADA
CE3411A.ADA	CE3412A.ADA	CE3413A.ADA
CE3413C.ADA	CE3419A.ADA	CE3602A.ADA
CE3602B.ADA	CE3602C.ADA	CE3602D.ADA
CE3603A.ADA	CE3604A.ADA	CE3605A.ADA
CE3605B.ADA	CE3605C.ADA	CE3605D.ADA
CE3605E.ADA	CE3606A.ADA	CE3606B.ADA
CE3704A.ADA	CE3704B.ADA	CE3704D.ADA
CE3704E.ADA	CE3704F.ADA	CE3704M.ADA
CE3704N.ADA	CE37040.ADA	CE3706D.ADA
CE3706F.ADA	CE3804A.ADA	CE3804B.ADA
CE3804C.ADA	CE3804D.ADA	CE3804E.ADA
CE3804G.ADA	CE3804I.ADA	CE3804K.ADA
CE3804M.ADA	CE3805A.ADA	CE3805B.ADA
CE3806A.ADA	CE3806D.ADA	CE3806E.ADA
CE3905A.ADA	CE3905B.ADA	CE3905C.ADA
CE3905L.ADA	CE3906A.ADA	CE3906B.ADA
CE3906C.ADA	CE3906E.ADA	CE3906F.ADA

o Is USE_ERROR or NAME_ERROR raised by every attempt to create or open a sequential file? (Y/N) ____ (This is the appropriate behavior for an implementation which does not support sequential files. See Al-00550.7

If Yes, then the following tests should report NOT-APPLICABLE:

CE2102C.TST	CE2104A.ADA	CE2104B.ADA
CE2105A.ADA	CE2106A.ADA	CE2107A.ADA
CE2107B.ADA	CE2107C.ADA	CE2107D.ADA
CE2108A.ADA	CE2108B.ADA	CE2109A.ADA
CE2110A.ADA	CE2110C.ADA	CE2111A.ADA
CE2111C.ADA	CE2111D.ADA	JE2115B.ADA
CE2201A.ADA	CE2201B.ADA	CE2201C.ADA
EE2201D.ADA	EE2201E.ADA	CE2201F.ADA
CE2201G.ADA	CE3204A.ADA	CE2204B.ADA
CE2208B.ADA	CE2210A.ADA	

o Is USE ERROR or NAME ERROR raised by every attempt to create or open a direct access file? (Y/N) ____ (This is the appropriate behavior for an implementation which does not support direct access files. See AI-00332.)

If Yes, then the following tests should report NOT-APPLICABLE:

CE2102H.TST	CE2102K.ADA	CE2104C.ADA
CE2104D.ADA	CE2105B.ADA	CE2106B.ADA
CE2107E.ADA	CE2107F.ADA	CE2107G.ADA
CE2107H.ADA	CE2107I.ADA	CE2108C.ADA
CE2108D.ADA	CE2109B.ADA	CE2111B.ADA
CE2111H.ADA	CE2111E.ADA	CE2111G.ADA
CE2115A.ADA	CE2401A.ADA	CE2401B.ADA
CE2401C.ADA	EE2401D.ADA	CE2401E.ADA
CE2401F.ADA	EE2401G.ADA	CE2401H.ADA
CE2404A.ADA	CE2405B.ADA	CE2406A.ADA
CE2407A.ADA	CE2408A.ADA	CE2409A.ADA
CE2410A.ADA	CE2411A.ADA	

o Does the implementation support dynamic creation and deletion of text files? (Y/N)

If No, then the following tests should report NOT-APPLICABLE:

CE3110A.ADA CE3102B.ADA

Ü	be associated	with the same e		Y/N)	
	If No, then t	ne following tes	ts should report	NOT-APPLICABLE: .	
		CE2110B.ADA	CE2111D.ADA	CE3111A.ADA	
		CE3111B.ADA	CE3111C.ADA	CE3111D.ADA	
		CE3111E.ADA	CE3114B.ADA	CE3115A.ADA	
3	Does the impl	ementation allow	more than one	internal sequential file? (Y/N)	
	ille to be as	Sociated with th	de Same externar	1116: (113)	
	If No, then t	he following tes	its should report	NOT-APPLICABLE:	
			CE2107B.ADA	CE2107C.ADA	
	Does the impl		CE2111D.ADA	internal direct access	
				file? (Y/N)	
	If No, then t	he following tes	its should report	NOT-APPLICABLE:	
			CE2107F.ADA		
		CE2107H.ADA	CE2107I.ADA	CE2111H.ADA	
0	sequential f	ementation allowing allowing (Y/N)	resetting one which are associated	of several internal clated with the same	
0	sequential f external file	iles all of w	which are associ	clated with the same	
0	sequential f external file	files all of ward of ward of the following test	which are associ	clated with the same	
	sequential f external file If No, then t CE3115	files all of war. (Y/N) the following test	which are associated asociated associated associated associated associated associated as	clated with the same	
	sequential f external file If No, then t CE3115	iles all of work of (Y/N) the following test A.ADA C pragma supports	which are associated should report	clated with the same	
	sequential f external file If No, then t CE3115 Is the INLINE If No, then t	iles all of work of (Y/N) the following test A.ADA C pragma supports	which are associated should report	not-Applicable:	
	sequential f external file If No, then t CE3115 Is the INLINE If No, then t LA3004 EA3004	iles all of war. (Y/N) the following tests. A.ADA c pragma supporte the following tests. A.ADA c.ADA	which are associated should report	not-Applicable:	
	sequential f external file If No, then t CE3115 Is the INLINE If No, then t LA3004 EA3004	iles all of war. (Y/N) the following testing pragma supported the following testing the following testin	which are associated should report	not-Applicable:	
	sequential f external file If No, then t CE3115 Is the INLINE If No, then t LA3004 EA3004	iles all of war. (Y/N) the following tests. A.ADA c pragma supporte the following tests. A.ADA c.ADA	which are associated should reported for PROCEDURES	NOT-APPLICABLE: S? (Y/N) t NOT-APPLICABLE:	
۰	sequential f external file If No, then t CE3115 Is the INLINE If No, then t LA3004 CA3004 Is the INLINE	che following tes A.ADA pragma supporte the following tes A.ADA conditional tes A.ADA conditional tes conditional tes	which are associated should report ed for PROCEDURES standard reported for FUNCTIONS	NOT-APPLICABLE: S? (Y/N) t NOT-APPLICABLE:	
۰	sequential f external file If No, then t CE3115 Is the INLINE If No, then t LA3004 EA3004 Is the INLINE If No, then t	che following tes A.ADA pragma supporte the following tes A.ADA conditional tes A.ADA conditional tes conditional tes	which are associated should report ed for PROCEDURES standard reported for FUNCTIONS	NOT-APPLICABLE: S? (Y/N) t NOT-APPLICABLE:	
۰	sequential f external file If No, then t CE3115 Is the INLINE If No, then t LA3004 EA3004 Is the INLINE If No, then t LA3004	che following tes A.ADA pragma supporte che following tes A.ADA che following tes A.ADA che following tes	which are associated should report ed for PROCEDURES standard reported for FUNCTIONS	NOT-APPLICABLE: S? (Y/N) t NOT-APPLICABLE:	
۰	sequential f external file If No, then t CE3115 Is the INLINE If No, then t LA3004 EA3004 Is the INLINE If No, then t LA3004 LA3004 LA3004	iles all of war. (Y/N) the following tests. A.ADA c pragma supported the following tests. A.ADA c.ADA	which are associated should report ed for PROCEDURES standard reported for FUNCTIONS	NOT-APPLICABLE: S? (Y/N) t NOT-APPLICABLE:	

o The following test should report NCT-APPLICABLE if the depth of recursion causes STCFAUE_ERROR to be raised:

LIMILIA BALA

o The following test should report NOT-APPLICABLE if DURATION'FIRST = DURATION'BASE'FIRST and the test otherwise executes properly, or if DURATION'LAST = DURATION'BASE'LAST and the test otherwise executes properly:

196038B.T2T

The following test should report NOT-APPLICABLE if it compiles without error and F'MACHINE_CVERFLOWS is false and C.I * F'MACHINE RADIX ** F'MACHINE EMAX <= F'BASE'LARGE, where F is given by TYPE F IS DIGITS SYSTEM.MAX_DIGITS:

C4A013B.ADA

o Is the value of SYSTEM.MAX DIGITS > 35? (Y/N)

If Yes, then the following test is inapplicable:

C4A011A.ADA

TESTS WHICH MAY NOT REPURT "NOT-APPLICABLE"

0	Is mode IN_FILE supported for sequential files? (Y/N)
	If Yes, then the following test is inapplicable:
	CE2102D.ADA
7	Is work UTT_FILE supported for dequential files? (Fix
	If Yes, then the following test is inapplicable:
	CE2102E.ADA
0	Is mode INOUT_FILE supported for direct access files? (Y/N)
	If Yes, then the following test is inapplicable:
	CE2102F.ADA
0	Are RESET and DELETE supported for sequential files? (Y/N)
	If Yes, then the following test is inapplicable:
	CE2102G.ADA
0	Are RESET and DELETE supported for direct access files? (Y/N)
	If Yes, then the following test is inapplicable:
	CE2102K.ADA
0	Is mode IN_FILE supported for direct access files? (Y/N)
	If Yes, then the following test is inapplicable:
	CE2102I.ADA
0	Is mode OUT_FILE supported for direct access files? (Y/N)
	If Yes, then the following test is inapplicable:
	CE2102J.ADA

ACCOUNT STATES CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL

o Are dynamic creation and deletion of sequential files supported? $(Y \wedge N) = \frac{1}{2} \left(\frac{1}{N} \right) =$

if help then the following test is imapplicable:

CE2106A.ADA

o Are dynamic creation and deletion of direct files supported? (Y/N)

ACVC VERSION 1.9 WITHDRAWN TESTS

The following tests have been withdrawn from Version 1.9 of the Ada Compiler Validation Capability (ACVC) for the reasons given below:

- . C34004A: The expression in line 168 yields a value outside the range of the target type T, but there is no mandler for CONSTRAINT_EPROR.
- . 035502P: The equality operators in lines 62 and 69 should be inequality operators.
- . C37213H: The subtype declaration of SCONS in line 100 is incorrectly expected to raise an exception when elaborated.
- . C37213J: The aggregate in line 451 incorrectly raises CONSTRAINT_ERROR.
- . C37215C, C37215E, C37215G, and C37215H: Various discriminant constraints are incorrectly expected to be incompatible with type CONS.
- . C41402A: The attribute 'STORAGE_SIZE is incorrectly applied to an object of an access type.
- . C45614C: The function call of IDENT_INT in line 15 uses an argument of the wrong type.
- BC3105A: Lines 159 through 168 expect error messages, but these lines are correct Ada.
- . AD1A01A: The declaration of subtype SINT3 raises CONSTRAINT_ERROR for implementations which select INT'SIZE to be 16 or greater.
- . CE2401H: The record aggregates in lines 105 and 117 contain the wrong values.

**** End of List ****

Ada is a registered trademark of the United States Government (Ada Joint Program Office).

END DATE FILMED DEC. 1987